

Safety Data Sheet

Regulation (EC) No. 1907/2006, 1272/2008

Version No.: 1.0 Printed Date: February 24, 2025

SDS REPORT

Company Name: Sabbia ApS, DK44069105

Company Address: Linus Paulings Vej 8, 2450 Copenhagen, Denmark

Compilation Date: February 24, 2025

Trade Name: Foaming Hand Soap Sheet

Composition/Ingredient of The Sample: See Section 3 on the SDS

Service Requested: Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with Regulation (EC) No 1907/2006, 1272/2008, Regulation (EU) No 2015/830 and are provided per attached.

Signed for an on behalf of Sabbia ApS:



Lukas Moravek
CEO & Co-Founder

Sabbia ApS

Linus Paulings Vej 8, 2450 Copenhagen

E-mail: kontakt@sabbia.dk

Phone: +45 91974940

Website: www.sabbiaclean.eu

SECTION 1: Identification of the substance/mixture and of the company/undertaking

•1.1 Product identifier

- **Trade name:** Foaming Hand Soap Sheet
- **Registration number:** Data not available
- **Other means of identification:** Data Not available

•1.2 Relevant identified uses of the substance or mixture and uses advised against on

- **Application of the substance/ mixture:** Consumer uses, hands cleaning.
- **Uses advised against:** Not available

• 1.3 Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:**

Sabbia ApS

Linus Paulings Vej 8, 2450 Copenhagen, Denmark

Tel: +45 91974940

Contact person: Lukas Moravek

Email: kontakt@sabbia.dk

- **Further information obtainable from:** Sabbia ApS

•1.4 Emergency telephone number: +45 91974940

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

Classification according to regulation (EC) 1272/2008:

Acute Tox. 4(inhal.)	H332	Additivity formula approach
Skin irrit. 2	H315	Additivity approach
Eye Dam. 1	H318	Additivity approach
STOT SE 3,	H335	Additivity approach
Aquatic Chronic 3	H412	Summation method

• **Classification system:**

The classification is according to the latest edition of Regulation 1272/2008 and extended by company and literature data.

• **2.1.2 Additional information:**

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

• **2.2 Label elements**

- **Labeling according to Regulation (EC) No 1272/2008:** The product is labelled according to CLP Regulation.

• **Hazard pictograms:**



GHS05

GHS07

• **Signal word:** *Danger*

• **Hazard-determining components of labelling:** Sulfuric acid, mono-C12-14-alkyl esters, sodium

salts Sodium lauroylsarcosinate

• **Hazard statements:**

H332 *Harmful if inhaled*

H315 *Causes skin irritation*

H318 *Causes serious eye damage*

H335 *May cause respiratory irritation*

H412 *Harmful to aquatic life with long lasting effects*

• **Precautionary statement:**

P101 *If medical advice is needed, have a product container or label at hand.*

P102 *Keep out of reach of children.*

P103 *Read carefully and follow all instructions.*

P271 *Use only outdoors or in a well-ventilated area.*

P273 *Avoid release to the environment.*

P280 *Wear protective gloves/protective clothing/eye protection/face protection.*

P305+P351+P338+P310 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.*

P405 *Store locked up*

P501 *Dispose of contents/container in accordance with local regulations.*

• **Supplemental label elements:**

EUH208: *Contains Tea tree oil. May produce an allergic reaction.*

• **2.3 Other hazards**

• **Results of PBT and vPvB assessment**

PBT: Not applicable

vPvB: Not applicable

SECTION 3: Composition/information on ingredients

• **3.1 Substance** Not applicable

• **3.2 Mixtures**

• **Description of the mixture:**

Hand Soap sheet.

Substance	CAS No.	Index No.	EC No.	Conc. w/w	CLP Classification	SCL/M-factor
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	-	287-809-4	15%-30%	Flam. Sol. 2, H228 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412	ATE (oral)=500 mg/kg
Polyvinyl alcohol	25213-24-5	-	-	10%-30%	None	-
Water	7732-18-5	-	231-791-2	5%-15%	None	-
Sodium lauroylsarcosinate	137-16-6	-	205-281-5	1%-10%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 2, H330	ATE (inhal.)=0.05 mg/l (dust)
Sodium lauroyl glutamate	29923-31-7	-	249-958-3	1%-10%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-
Sodium citrate	6132-04-3	-	-	1%-10%	None	-
Glycerin	56-81-5	-	200-289-5	1%-10%	None	-
Propane-1,2-diol	57-55-6	-	200-338-0	1%-10%	None	-
Tetrasodium glutamate diacetate	51981-21-6	-	257-573-7	0.5%-5%	None	-
Waxes and waxy substances, jojoba, ethoxylated	159518-81-7	-	-	0.5%-5%	None	-
Melaleuca alternifolia	68647-73-4	-	-	0.1%-1%	Acute Tox. 4, H302	ATE (oral)=1900 mg/kg

(tea tree) leaf oil					Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411	
Allantoin	97-59-6	-	202-59 2-8	0.1%-1%	None	-
Disodium EDTA	139-33-3	-	205-35 8-3	0.1%-1%	Acute Tox. 4, H332 STOT RE 2, H373	ATE (inhal.)= 1.5 mg/l (dust/mist)
Saponins	8047-15 -2	-	232-46 2-6	0.1%-1%	Eye Irrit. 2, H319 STOT SE 3, H335	-
Citric acid	5949-29 -1	-	-	0.1%-1%	Eye Irrit. 2, H319 STOT SE 3, H335	-
Phenoxyethanol	122-99-6	603-098 -00-9	204-58 9-7	0.1%-1%	Acute Tox. 4, H302 Eye Dam. 1, H318 STOT SE 3, H335	ATE (oral)=1394 mg/kg
Fragrance	-	-	-	0%-1%	None	-

Additional information:

Full text of H- and EUH-statements, see SECTION 16.

SECTION 4: First Aid Measures

• 4.1 Description of first aid measures

General advice: Get medical attention if you feel unwell.

After inhalation: Remove the person to fresh air and keep comfortable for breathing.

After skin contact: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

After swallowing: Rinse mouth. Call a POISON CENTER/doctor, if you feel unwell.

• **4.2 Most important symptoms and effects, both acute and delayed:** Acute and delayed effects are as indicated in sections 2 and 11.

• **4.3 Indication of any immediate medical attention and special treatment needed:**

Treatment according to symptom, there is not known specific medicine.

SECTION 5: Fire-fighting measures

• **5.1 Extinguishing media**

• **Suitable extinguishing agents:** Use CO₂, chemical powder, water spray or alcohol resistant foam to extinguish.

• **Unsuitable extinguishing media:** Water with full jet.

• **5.2 Special hazards arising from the substance or mixture:** May produce corrosive dust in air under fire.

• **5.3 Advice for firefighters Protective equipment:** Wear self-contained breathing apparatus for firefighting.

SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** • **6.1.1 For non-emergency personnel Protective equipment:**

Protective gloves/ eye protection/ face protection and respiration protection.

Emergency procedures:

Ensure adequate ventilation; Avoid breathing dust; Avoid contact with skin and eyes; Avoid release to the environment.

• **6.1.2 For emergency responders Personal protective equipment:**

Protective gloves/ eye protection/ face protection and respiration protection.

• **6.2 Environmental precautions:**

Prevent further leakage or spillage if safe to do so; Prevent spillage from entering drains, sewer, basement or confined areas; if the spillage contaminates rivers, lakes or drains inform respective authorities.

• **6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

• **6.4 Reference to other sections:**

See section 7 for information on safe handling; See section 8 for information on personal protection equipment; See section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling:

Use only outdoors or in a well-ventilated area.

Ensure adequate ventilation at the workplace.

Avoid breathing dust.

Avoid contact with skin and eyes.

Avoid release to the environment.

• **Information about fire and explosion protection:** Normal measures for preventive fire protection.

• 7.2 Conditions for safe storage, including any non-compatibility

• **Requirements to be met by storerooms and receptacles:** Store in a cool and well-ventilated place. .

• **Information about storage in one common storage facility:** Keep out of reach of children.

• **Further information about storage conditions:** Store locked up.

• **Storage class:** 11.

• **7.3 Specific end use(s):** See section 1.2.

SECTION 8: Exposure controls/personal protection

• 8.1 Control parameters

• **Ingredients with limit values that require monitoring at the workplace:**

Country	Limit Value – Eight hours	Limit value – short term
56-81-5 Glycerin		
Belgium	10 mg/m ³	-
Finland	20 mg/m ³	-
France	10 mg/m ³	-
Germany (DFG)	200 mg/m ³ Inhalable fraction	400 mg/m ³ Inhalable fraction; 15 minutes average value
Ireland	10 mg/m ³	-
Poland	10 mg/m ³	-
Spain	10 mg/m ³	-
United Kingdom	10 mg/m ³	-
57-55-6 Propane-1,2-diol		
Ireland	150 ppm; 470 mg/m ³	-
United Kingdom	150 ppm; 474 mg/m ³	-
122-99-6 Phenoxyethanol		
Austria	20ppm; 110 mg/m ³	20ppm; 110 mg/m ³
Finland	20ppm; 110 mg/m ³	50ppm; 290 mg/m ³ 15 minutes average value
Germany (AGS)	20ppm; 110 mg/ml ³ inhalable aerosol and vapour	40ppm; 220 mg/ml ³ inhalable aerosol and vapour; 15 minutes reference period

Germany (DFG)	20ppm; 110 mg/ml ³ halable aerosol and vapour	40ppm; 220 mg/ml ³ halable aerosol and vapour; 15 minutes reference period
Poland	230mg/m ³	-

• DNELs:

DNEL Type		DNEL worker value	DNEL consumer value
85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts			
Systemic effects	Long-term, inhalation exposure	285 mg/m ³	85 mg/m ³
	Long-term, dermal exposure	4 060 mg/kg bw/day	2 440 mg/kg bw/day
	Long-term, oral exposure	-	24 mg/kg bw/day
137-16-6 Sodium lauroylsarcosinate			
Systemic Effects	Long-term, inhalation exposure	56 mg/m ³	33 mg/m ³
	Long-term, dermal exposure	-	229 mg/kg bw/day
	Long-term, oral exposure	-	24 mg/kg bw/day
137-16-6 Sodium lauroylsarcosinate			
Systemic Effects	Long-term, inhalation exposure	70.53 mg/m ³	17.39 mg/m ³
	Long-term, dermal exposure	20 mg/kg bw/day	10 mg/kg bw/day
	Long-term, oral exposure	-	10 mg/kg bw/day

• PNECs:

PNEC type	Value
85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	
Freshwater	131 µg/L
Intermittent releases (freshwater)	36 µg/L
Marine water	13.1 µg/L
Sewage treatment plant (STP)	1.35 mg/L
Sediment (freshwater)	4.61 mg/kg sediment dw
Sediment (marine water)	461 µg/kg sediment dw
Soil	846 µg/kg soil dw
137-16-6 Sodium lauroylsarcosinate	
Freshwater	8.91 µg/L
Intermittent releases (freshwater)	89.1 µg/L
Marine water	891 ng/L
Intermittent releases (marine water)	8.91 mg/L

Sewage treatment plant (STP)	3 mg/L
Sediment (freshwater)	64.2 µg/kg sediment dw
Sediment (marine water)	6.4 µg/kg sediment dw
Soil	7.6 µg/kg soil dw

• **Additional information:**

The lists valid during the marking were used as the basis.

• **8.2 Exposure controls**

• **Based on the composition shown in section 3, the following measures are suggested for occupational safety measures.**

• **Appropriate engineering controls:**

Handle in accordance with good industrial hygiene and safety practice.

Wash hands and face before breaks and at the end of work.

See section 7 for information about design of technical facilities

• **Personal protective equipment**

• **Eye and face protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:



Safety Glasses

Protective goggles with side-shields.

• **Skin protection**

• **Hand protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:



Protective Gloves

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness > 0.11mm; breakthrough times up to 480 minutes).

Other skin protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



Face protection



Safety boots



Safety overalls

Face shield, gauntlets, boots, bodysuit are recommended.

• **Respiration protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:



Respiratory equipment

Use a positive pressure breathing mask if concentrations in air could exceed occupational exposure standards.

• Thermal hazards:

Not required under normal conditions of use. For industrial applications, following protection required:

The gauntlets, boots, bodysuit and other personal protective equipment must be flame retardant and no heat-conducting.

• Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

•9.1 Information on basic physical and chemical properties

Appearance:	
• Physical state	Solid
• Color	White
• Odor & Odor threshold	With Fragrance
• Melting point/freezing point (or softening point/range)	Not determined
• Boiling point or initial boiling point and boiling range	Not determined
• Flammability	Not determined
• Lower and upper explosion limit	Not determined
• Flash point	Not applicable
• Auto-ignition temperature	Not determined
• Decomposition temperature	Not determined
• pH	Not determined
• Kinematic viscosity (mm ² /s)	Not applicable
• Solubility	Soluble in water.
• Partition coefficient n-octanol/water (log value)	Not applicable
• Vapor pressure	Not determined
• Density and/or relative density	Not determined
• Relative vapor density	Not determined
• Particle characteristics	Not determined
• 9.2 Other information	
• 9.2.1 Information with regard to physical hazard classes:	
• Explosives	Not applicable

· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidizing liquids	Not applicable
· Oxidizing solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	Not applicable
· Desensitised explosives	Not applicable
· 9.2.2 Other safety characteristics	
· Mechanical sensitivity	Not applicable
· Self-accelerating polymerisation temperature	Not applicable
· Formation of explosible dust/air mixtures	Not applicable
· Acid/alkaline reserve	Not applicable
· Evaporation rate	Not applicable
· Miscibility	Not applicable
· Conductivity	Not applicable
· Corrosiveness	Not applicable
· Gas group	Not applicable
· Redox potential	Not applicable
· Radical formation potential	Not applicable
· Photocatalytic properties	Not applicable
· Other physical and chemical parameters	Not determined

SECTION 10: Stability and reactivity

· **10.1 Reactivity:** The product is non-reactive under normal conditions of use, storage and transport.

· **10.2 Chemical stability:** Under storage at normal ambient temperatures, the product is stable.

· **10.3 Possibility of hazardous reactions:** No known hazardous reaction.

· **10.4 Conditions to avoid:** High temperature.

· **10.5 Incompatible materials:** Strong oxidizing agent and acids

- **10.6 Hazardous decomposition products:** Does not decompose when used for intended uses.

SECTION 11: Toxicological information

•11.1 Information on toxicological effects

- **Acute toxicity:** Harmful if inhaled.

ATEmix(inhal.) = 1-5 mg/l (dust/mist)

LD50/LC50 values relevant for classification:		
85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts		
Rat	LD50-oral	500 - 2000 mg/kg
Rat	LD50-dermal	>2000 mg/kg
137-16-6 Sodium lauroylsarcosinate		
Rat	LD50-oral	>5000 mg/kg
56-81-5 Glycerin		
Rat	LD50-oral	12600 mg/kg
Rabbit	LD50-dermal	>10000 mg/kg
	LD50-oral	27g/kg
Mouse	LD50-oral	4090 mg/kg
Guinea pig	LD50-oral	7750 mg/kg
	LD50-dermal	45 mL/kg
122-99-6 Phenoxyethanol		
Mouse	LD50-oral	933 mg/kg
Rabbit	LD50-skin	5 ml/kg
Rat	LD50-oral	1260 mg/kg
	LC50-skin	14422 mg/kg
Remark: The above data are from literature. This product was not tested on animals.		

- **Skin corrosion/irritation:** Causes skin irritation.
- **Serious eyes damage/ irritation:** Causes serious eye damage.
- **Respiratory or skin sensitization:** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause respiratory irritation.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

• 11.2.1 Endocrine disrupting properties:

None of the ingredients ($\geq 0.1\%$) is considered to have endocrine-disrupting properties with respect to humans, as none of them meet the criteria set out in section A of Regulation (EU) No 2017/2100.

• **11.2.2 Other information:**

No known other relevant information on adverse health effects.

SECTION 12: Ecological information

• **12.1 Toxicity**

• **Aquatic toxicity:** Harmful to aquatic life with long lasting effects.

LC50/EC50/ NOEC values relevant for classification:	
85586-07-8 Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	
Oncorhynchus mykiss	LC50 (96 h) 3.6mg/L
Pimephales promelas	NOEC (42 days) 1.357mg/L
Daphnia magna	EC50 (48 h) 20 mg/L
Desmodesmus subspicatus	EC50 (72h) 20 mg/L
Desmodesmus subspicatus	NOEC (72h) 5.4mg/L
137-16-6 Sodium lauroylsarcosinate	
Danio rerio	LC50 (96h) 32.1mg/L
Daphnia magna	EC50 (48h) 8.91mg/L
Desmodesmus subspicatus	EC50 (72h) 79 mg/L
Desmodesmus subspicatus	NOEC (72h) 9.2mg/L
56-81-5 Glycerin	
Salmo gairdneri	LC50 (96h) 54000 mg/L
Daphnia magna	LC50 (48h) 1955 mg/L
Ceriodaphnia dubia	NOEC (7 days) 800 mg/L
Pseudomonas putida	NOEC (16h) >10000 mg/L

• **12.2 Persistence and degradability:**

85586-07-8	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	>90%(28d)
137-16-6	Sodium lauroylsarcosinate	82% (28d)
56-81-5	Glycerin	100%(24h)

• **12.3 Bio-accumulative potential:**

85586-07-8	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	-2.42
137-16-6	Sodium lauroylsarcosinate	0.37
56-81-5	Glycerin	-1.75

• **12.4 Mobility in soil:** High mobility in soil.

137-16-6	Sodium lauroylsarcosinate	40.5 mN/N (20000 mg/L, 20°C)
56-81-5	Glycerin	63.4 (1000 g/L, 20 °C)

- **12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances ($\geq 0.1\%$) that are assessed to be a PBT or a vPvB.

- **12.6 Endocrine disrupting properties:** None of the ingredients ($\geq 0.1\%$) is considered to have endocrine-disrupting properties with respect to non-target organisms, as none of them meet the criteria set out in section B of Regulation (EU) No 2017/2100.

- **12.7 Other adverse effects:**

No known other adverse effects.

- **12.8 Additional ecological information**

- **General notes:**

WGK1 (German Regulation) (self-assessment): slightly hazardous to water

Do not allow large quantities of the product to reach groundwater, watercourses or the sewage system.

SECTION 13: Disposal consideration

- **13.1 Waste treatment methods**

- **Recommendation:** Must not be disposed together with household garbage.

- **13.2 Un-cleaned packaging**

- **Recommendation:** Dispose of contents/container in accordance with the local/regional/national/ international regulation.

SECTION 14: Transport information

• ADR/ADN/RID (2023 Edition)	This product is not subject to ADR/ADN/RID.
• IATA-DGR (65th)	This product is not subject to IATA-DGR.
• IMO/IMDG (41-22)	This product is not subject to IMO/IMDG code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- **MAK (German Maximum Workplace Concentration):**

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances-ANNEX I:** None of the ingredients is listed.

- **Seveso category:** Not applicable

- **Qualifying quantity (tonnes) for the application of lower-tier requirements:** Not applicable

- **Qualifying quantity (tonnes) for the application of upper-tier requirements:** Not applicable

- **National regulations.**

- **Water hazard class:** WGK1 (German Regulation) (self-assessment): slightly hazardous to water.
- **Other regulations, limitations and prohibitive regulations**
- **SVHC Candidate list of REACH Regulation Annex XIV Authorization:** None of the ingredients is listed.
- **REACH Regulation Annex XVII Restriction:** None of the ingredients is listed.
- **REACH Regulation Annex XIV Authorization List:** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safe Assessment has not been carried out.

SECTION 16: Other information

Relevant phrases:

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

H228 Flammable solid

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H330 Fatal if inhaled

H332 Harmful if inhaled

H335 May cause respiratory irritation

H373 May cause damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable.

However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) PBT: Persistent, Bio accumulative and Toxic

vPvB: very persistent and very bio accumulative

SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

Flam. Sol. 1: Flammable solids, hazard category 1

Acute Tox. 4: Acute toxicity, hazard category 4

Asp. Tox. 1: Aspiration toxicity, hazard category 1

Skin Irrit. 2: Skin corrosion/irritation, hazard category 2

Skin Sens. 1: Skin sensitization, hazard category 1

Eye Dam. 1: Eye damage/irritation, hazard category 1

Acute Tox. 2: Acute toxicity, hazard category 2

STOT SE 3: Specific target organ toxicity after single exposure, hazard category 3

STOT RE 2: Specific target organ toxicity after repeated exposure, hazard category 2

Aquatic Chronic 2: Long-term (chronic) aquatic hazard, hazard category 2

Aquatic Chronic 3: Long-term (chronic) aquatic hazard, hazard category 3

End of safety data sheet