



Safety Data Sheet Sportsvask Sterk

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : Sportsvask Sterk
 Product code : 11041
 Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
 Use of the substance/mixture : Polish stripper.

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Premiere Produkter AS
 Austbøsletta 6
 4085 Hundvåg - Norge
 T +47 51 85 83 00 - F +47 51 85 83 01
dagfinn@premiere-produkter.no - www.premiere-produkter.no

Manufacturer

Premiere Products
 Oakley Gardens, Bouncers Lane, Cheltenham,
 Gloucestershire, GL52 5JD, UK
 T 0044 (0) 01242 53715 - F 0044 (0) 1242 528445

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Norway	Giftinformasjonen Directorate of Health and Social Affairs	P.O. Box 7000, St. Olavs Plass 0130 Oslo	112/ +47 22 59 13 00

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1A H314

Full text of hazard classes and H-statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger
 Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage
 Precautionary statements (CLP) : P102 - Keep out of reach of children
 P280 - Wear protective gloves, eye protection
 P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1. Substance**

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
disodium metasilicate	(CAS No) 6834-92-0 (EC no) 229-912-9 (EC index no) 014-010-00-8 (REACH-no) 01-2119449811-37	5 - 10	Skin Corr. 1B, H314 STOT SE 3, H335
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	(CAS No) 112-34-5 (EC no) 203-961-6 (EC index no) 603-096-00-8 (REACH-no) 01-2119475104-44	1 - 5	Eye Irrit. 2, H319
2-aminoethanol, ethanolamine	(CAS No) 141-43-5 (EC no) 205-483-3 (EC index no) 603-030-00-8 (REACH-no) 01-2119486455-28	1 - 5	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits
2-aminoethanol, ethanolamine	(CAS No) 141-43-5 (EC no) 205-483-3 (EC index no) 603-030-00-8 (REACH-no) 01-2119486455-28	(C >= 5) STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES**4.1. Description of first aid measures**

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes severe skin burns and eye damage.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after ingestion : May perforate the oesophagus or the digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

Chemical burns must be treated by a physician.

SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing media**

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not flammable according to national regulations concerning flammable goods.
- Hazardous decomposition products in case of fire : When heated and in case of fire, corrosive vapours/gases may be formed.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper personal protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

- General measures : Avoid contact with skin and eyes.

For non-emergency personnel

- Protective equipment : Wear appropriate personal protective equipment - see Section 8.
- Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.

6.2. Environmental precautions

Discharging into rivers and drains is forbidden. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Collect all waste in suitable and labelled containers and dispose according to local legislation.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. See section 13 for waste handling.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

- Precautions for safe handling : Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep out of reach of children. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed.

7.3. Specific end use(s)

Consult the supplier for further information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)		
Norway	Local name	2-2(Butoksyetoksy)etanol
Norway	Grenseverdier (AN) (mg/m ³)	68 mg/m ³
Norway	Grenseverdier (AN) (ppm)	10 ppm
2-aminoethanol, ethanolamine (141-43-5)		
Norway	Local name	2-Aminoetanol
Norway	Grenseverdier (AN) (mg/m ³)	2.5 mg/m ³
Norway	Grenseverdier (AN) (ppm)	1 ppm
Norway	Merknader (NO)	H

8.2. Exposure controls

- Appropriate engineering controls : Provide adequate ventilation. Provide eyewash station.
- Personal protective equipment : Gloves. Safety glasses.

Hand protection	: Wear suitable gloves. Butylrubber protective gloves. Viton rubber (fluor rubber). Neoprene, nitrile, polyethylene or PVC. Breakthrough time : >, 480, minutes. Layer thickness : 0,2 - 0,4 mm. STANDARD EN 374
Eye protection	: Wear approved safety goggles. STANDARD EN 166
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation



Environmental exposure controls	: Avoid release to the environment.
Other information	: Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment. Do not eat, drink or smoke during use. Isolate contaminated clothing and wash before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 12.8 - 13.8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1.067 - 10.77 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: < 10 cP
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Non flammable.
Explosive limits	: No data available

9.2. Other information

Additional information	: No information.
------------------------	-------------------

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Contact with alkaline products gives exothermic reaction.

10.4. Conditions to avoid

Avoid contact with strong oxidisers. Avoid contact with acids and alkalis.

10.5. Incompatible materials

Oxidising materials. Acids. Strong reducing agents.

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

Acute toxicity : Not classified
Causes burns

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)	
LD50 oral rat	5660 mg/kg
LD50 dermal rabbit	2700 mg/kg
2-aminoethanol, ethanolamine (141-43-5)	
LD50 oral rat	1720 mg/kg
LD50 dermal rabbit	1000 mg/kg
disodium metasilicate (6834-92-0)	
LD50 oral rat	1153 mg/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 12.8 - 13.8

Serious eye damage/irritation : Serious eye damage, category 1, implicit
pH: 12.8 - 13.8

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: ECOLOGICAL INFORMATION**12.1. Toxicity**

Ecology - general : Not regarded as dangerous to the environment. This does not, however, rule out the possibility that large or frequent smaller emissions of the product may be harmful to the environment.

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)	
LC50 fish 1	1300 mg/l (96 hours - <i>Lepomis macrochirus</i>)
EC50 Daphnia 1	> 100 mg/l (48 hours - <i>Daphnia magna</i>)
IC50 algae	53 mg/l (<i>Anacystis aeruginosa</i>)
2-aminoethanol, ethanolamine (141-43-5)	
LC50 fish 1	150 mg/l (96 hours - Rainbow trout)
EC50 Daphnia 1	65 mg/l (48 hours - <i>Daphnia magna</i>)
IC50 algae	< 0.75 mg/l (IC50, 72 hours - <i>Scenedesmus subspicatus</i>)
disodium metasilicate (6834-92-0)	
LC50 fish 1	210 mg/l (96 hours - <i>Brachydanio rerio</i> , zebra-fish)
EC50 Daphnia 1	49.6 mg/l (48 hours - <i>Daphnia magna</i>)
IC50 algae	1.5 mg/l (IC50, 72 hours)

12.2. Persistence and degradability

Sportsvask Sterk	
Persistence and degradability	The chemical is readily biodegradable.
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)	
Chemical oxygen demand (COD)	< 0.05 BOD5/COD
Biodegradation	89 % (28 days, method: OECD 301C)

12.3. Bioaccumulative potential

Sportsvask Sterk	
Bioaccumulative potential	No bioaccumulation expected.
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)	
Bioconcentration factor (BCF REACH)	2.9

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)

Log Pow 0.68

2-aminoethanol, ethanolamine (141-43-5)

Bioconcentration factor (BCF REACH) > 95 (OECD 301A method)

Log Pow -1.31

disodium metasilicate (6834-92-0)

Log Pow < 0

12.4. Mobility in soil**Sportsvask Sterk**

Ecology - soil In water, material soluble.

12.5. Results of PBT and vPvB assessment**Sportsvask Sterk**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Other adverse effects : None to our knowledge.

Additional information : Avoid release to the environment

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Regional legislation (waste) : Dispose as hazardous waste.

Waste treatment methods : Follow the instructions for destruction of used packing. Recover and reclaim or recycle, if practical.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.





Additional information : The given EWC-code is a guiding, and the code depends on how the waste is formed. User must evaluate the choice of correct code.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 20 01 29* - detergents containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID
14.1. UN number			
3266	3266	3266	3266
14.2. UN proper shipping name			
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	Corrosive liquid, basic, inorganic, n.o.s.	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
Transport document description			
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium metasilicate), 8, II, (E)	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, II		
14.3. Transport hazard class(es)			
8	8	8	8
			
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available			

14.6. Special precautions for user**- Overland transport**

Classification code (ADR) : C5

Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR) : E

- Transport by sea

Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP27
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: B
Flash point (IMDG)	: -
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L

Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations : Regulation (EC) No.648/2004, 487/2013. Detergents.

Detergent Regulation : Ingredient data sheet:

Component	CAS No	%
disodium metasilicate	6834-92-0	1 - 10%

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	112-34-5	1 - 10%
2-aminoethanol, ethanolamine	141-43-5	1 - 10%

National regulations

EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

Data sources	: Classification according to Regulation (EC) No. 1272/2008 [CLP]. EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.
Other information	: None.
Date of issue	: 13/01/2006
Revision date	: 01/02/2016
Supersedes	: 15/03/2013
Version	: 7.0
Signature	: K. Dyreskog

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

The information in this safety data sheet is based on information from the manufacturer/supplier, present European and national legislation, and presupposes that the product is used within the specified area of application.