

SAFETY DATA SHEET

Body Shampoo, uten parfyme

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Body Shampoo, uten parfyme

Product no.

11148

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Soap and shampoo

Use descriptors (UK REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC28	Manual maintenance (cleaning and repair) of machinery
PROC19	Hand-mixing with intimate contact and only PPE available
Environmental release category	Description
ERC8a	Wide dispersive indoor use of processing aids in open systems

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Premiere Produkter

Austbøsletta 6

4085 Hundvåg - Stavanger

Norway

Contact person

Frode Larsen

E-mail

Post@premiere-produkter.no

Revision

29/11/2022

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Signal word

Not applicable.

Hazard statement(s)

Not applicable.

Safety statement(s)

General

-

Prevention

-

Response

-

Storage

-

Disposal

-

Hazardous substances

None known.

Additional labelling

EUH210, Safety data sheet available on request.

2.3. Other hazards

Additional warnings

Cosmetic products are exempt classification rules, but must comply with the cosmetics legislation.

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Sodium Laureth sulfate	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	5-10%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %) Aquatic Chronic 3, H412	[19]
Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)	CAS No.: 68155-07-7 EC No.: 268-935-9 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	
Kokosamidopropylbetain	CAS No.: 147170-44-3 EC No.: 604-575-4 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318 Aquatic Chronic 3, H412	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

Ingredients. Labelling of contents according to Regulation 1223/2009 on cosmetic products as retained and amended in UK law

SODIUM LAURETH SULFATE (SURFACTANTS), Cocamidopropyl Betaine (SURFACTANTS), GLYCERIN (EMOLLIENTS), DISODIUM LAURETH SULFOSUCCINATE (SURFACTANTS), PHENOXYETHANOL (PRESERVATIVES), XANTHAN GUM (VISCOSITY CONTROLLING AGENTS), BENZOIC ACID (PRESERVATIVES), DEHYDROACETIC ACID (PRESERVATIVES)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water (20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

glycerol

Long term exposure limit (8 hours) (mg/m³): 10

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)

Duration	Route of exposure	DNEL
Long term – Local effects - General population	Dermal	0,0562 mg/cm ² hud
Long term – Local effects - Workers	Dermal	0,0936 mg/cm ² hud
Long term – Systemic effects - General population	Dermal	2,5 mg/kg bw/dag
Long term – Systemic effects - Workers	Dermal	4,16 mg/kg bw/dag
Long term – Systemic effects - General population	Inhalation	21,73 mg/m ³
Long term – Systemic effects - Workers	Inhalation	73,4 mg/m ³
Long term – Systemic effects - General population	Oral	6,25 mg/kg bw/dag

benzoic acid

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	31.25 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	62.5 mg/kg bw/day
Long term – Local effects - General population	Inhalation	60 µg/m ³
Long term – Local effects - Workers	Inhalation	100 µg/m ³
Long term – Systemic effects - General population	Inhalation	1.5 mg/m ³
Long term – Systemic effects - Workers	Inhalation	3 mg/m ³
Long term – Systemic effects - General population	Oral	16.6 mg/kg bw/day

Kokosamidopropylbetain

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	7,5 mg/kg bw/dag
Long term – Systemic effects - Workers	Dermal	12,5 mg/kg bw/dag
Long term – Systemic effects - General population	Inhalation	13,04 mg/m ³
Long term – Systemic effects - Workers	Inhalation	44 mg/m ³
Long term – Systemic effects - General population	Oral	7,5 mg/kg bw/dag

Sodium Laureth sulfate

Duration	Route of exposure	DNEL
Long term – Local effects - General population	Dermal	79 µg/cm ²

According to Regulation (EU) no 1907/2006 (REACH), Annex II, as amended in Commission Regulation (EU) No. 2020/878 of 18 June 2020.

Long term – Local effects - Workers	Dermal	132 µg/cm ²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	52 mg/m ³
Long term – Systemic effects - Workers	Inhalation	175 mg/m ³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

PNEC

Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)

Route of exposure	Duration of Exposure	PNEC
Freshwater		0,007 mg/l
Freshwater sediment		0,195 mg/kg dwt
Marine water		0,0007 mg/l
Marine water sediment		0,0195 mg/kg dwt
Sewage treatment plant		830 mg/l
Soil		0,035 mg/kg dwt

benzoic acid

Route of exposure	Duration of Exposure	PNEC
Freshwater		340 µg/L
Freshwater sediment		1.75 mg/kg
Intermittent release (freshwater)		331 µg/L
Marine water		34 µg/L
Marine water sediment		175 µg/kg
Sewage treatment plant		100 mg/L
Soil		151 µg/kg

Kokosamidopropylbetain

Route of exposure	Duration of Exposure	PNEC
Freshwater sediment		14,8 mg/kg dwt
Marine water		0,0013 mg/l
Marine water sediment		1,48 mg/kg dwt
Sewage treatment plant		3000 mg/l
Soil		0,8 mg/kg dwt

Sodium Laureth sulfate

Route of exposure	Duration of Exposure	PNEC
Freshwater		240 µg/L
Freshwater sediment		916.8 µg/kg
Intermittent release (freshwater)		71 µg/L
Marine water		24 µg/L
Marine water sediment		91.7 µg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

8.3. Individual protection measures, such as personal protective equipment

Generally

No specific requirements

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements.

Hand protection

No specific requirements.

Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Transparent

Odour / Odour threshold

Faint

pH

5,5-6,0

Density (g/cm³)

1.01

Kinematic viscosity

No data available

Particle characteristics

Not applicable - product is a liquid

Phase changes

Melting point/Freezing point (°C)

Not applicable - product is a liquid

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

100

Vapour pressure

No data available

Relative vapour density

No data available

Decomposition temperature (°C)

No data available

Data on fire and explosion hazards

Flash point (°C)

Not applicable - flash point > 200°C

Ignition (°C)

Not applicable - flash point > 200°C

Auto flammability (°C)

Not applicable - flash point > 200°C

Lower and upper explosion limit (% v/v)

Not applicable

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Evaporation rate (n-butylacetate = 100)

No data available

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance	Kokosamidopropylbetain
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	2335 mg/kg
Other information	

Product/substance	Kokosamidopropylbetain
Test method	
Species	Rat
Route of exposure	Dermal
Test	LD50
Result	>2000 mg/kg
Other information	

Product/substance	glycerol
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	12.600 mg/kg
Other information	

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

None known.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Kokosamidopropylbetain
Test method	
Species	Fish
Compartment	
Duration	No data available.
Test	LC50
Result	1,3-2 mg/L
Other information	

Product/substance	glycerol
Test method	
Species	Fish
Compartment	
Duration	No data available.
Test	LC50
Result	> 10.000 mg/l ·
Other information	

Product/substance	glycerol
Test method	
Species	Daphnia
Compartment	
Duration	No data available.
Test	LC50
Result	> 10.000 mg/l ·
Other information	

Product/substance	benzoic acid
Test method	
Species	Daphnia
Compartment	
Duration	24 hours

According to Regulation (EU) no 1907/2006 (REACH), Annex II, as amended in Commission Regulation (EU) No. 2020/878 of 18 June 2020.

Test	EC50
Result	102 mg/L
Other information	

Product/substance	benzoic acid
Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	> 100 mg/L
Other information	

Product/substance	benzoic acid
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	44,6 mg/L
Other information	

12.2. Persistence and degradability

Product/substance	Kokosamidopropylbetain
Biodegradable	Yes
Test method	OECD 301 A
Result	86-100%

Product/substance	glycerol
Biodegradable	Yes
Test method	
Result	

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

According to Regulation (EU) no 1907/2006 (REACH), Annex II, as amended in Commission Regulation (EU) No. 2020/878 of 18 June 2020.

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

None known.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC28 = Manual maintenance (cleaning and repair) of machinery

PROC19 = Hand-mixing with intimate contact and only PPE available

PC35 = Washing and Cleaning Products (including solvent based products)

ERC8a = Wide dispersive indoor use of processing aids in open systems

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.
The classification of the substance/mixture is based on test data.

The safety data sheet is validated by

Rikke Hunskjær

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en