According to Regulation (EU) no 1907/2006 (REACH), Annex II, as amended in Commission Regulation (EU) No. 2020/878 of 18 June 2020.

Rapido

Version number:

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Rapido

UFI code

XPWM-UM2U-MX03-7NAC

1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Radical sanitary cleaner for professional users.

Not suitable for use in

All other uses are discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier

Premiere Produkter AS

Austbøsletta 6

4085 Hundvåg

Norway

+47 51 85 83 00

post@premiere-produkter.no

www.premiere-produkter.no

1.4. Emergency telephone number

Poison central tlf: (+47) 22 59 13 00

Available outside office hours Yes

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Skin corrosion, hazard category 1A

Hazard statements

H314, H335

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms





Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P260 Do not breathe vapours/spray.

P280 Wear protective gloves/eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.

More information

Hazard components for labeling:

hydrochloric acid

2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
Hydrochloric acid 31%	7647-01-0 231-595-7 01-2119484862- 27-XXXX 017-002-01-X	25 - 50%	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3 - resp. tract irrit.	H318, H335 -	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: $10 \% \le C < 25 \%$ Eye Irrit. 2; H319: $10 \% \le C < 25 \%$ STOT SE 3; H335: C ≥ 10 %
Alcohols, C12-14, ethoxylated	68439-50-9 - 01-2119487984- 16-xxxx	1 - 5%	Acute Tox. 4 - oral, Eye Dam. 1, Aquatic Chronic 3		-
Bis-(2- hydroxyethyl)oleylamine	25307-17-9 246-807-3 01-2119510876- 35-xxxx	>0 - <1%	Skin Corr. 1B, Aquatic Chronic 1, Acute Tox. 4 - oral	H302, H314, H410 M-acut=10 M-chro=1	-

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Description of first aid measures

First responders: Pay attention to self-protection.

Inhalation

If breathed in, move person into fresh air. Consult a physician if necessary.

Skin contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Consult a physician.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion

Do not induce vomiting. Drink water. Call physician immediately.

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

Information for doctors

For specialist advice physicians should contact the Poisons Information Service.

4.2. Most important symptoms and effects, both acute and delayed *Inhalation*

Irritation and / or corrosion of the respiratory tract . shortness of breath .

Skin contact

blistering / ulceration

Eye contact

Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

Ingestion

If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. water spray, extinguishing powder, foam or carbon dioxide.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Corrosive

5.3. Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self contained breathing apparatus.

Measures in case of fire

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Ensure adequate ventilation, especially in confined areas. Evacuate unaffected personnel from the spill area.

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

6.2. Environmental precautions

Dam up. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Ventilate the area.

Use neutralizing agents.

6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation, especially in confined areas.

General hygiene

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from food, drink and animal feeding stuffs. Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 8B (non-flammable, corrosive hazardous substances)

Store in original container. Storage temperature: 10°C to 40°C

7.3. Specific end use(s)

GISCODE: GS80

See section 1.2: Radical sanitary cleaner

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure limits

Ingredient	CAS No. EC No.	Exposure limit ppm / mg/m³	Short-term exposure limit ppm / mg/m³	Source	Remark	Year
hydrochloric acid (EU)	7647-01-0 231-595-7	5 8	10 15	-	-	-

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Туре	Exposure	Value	Population	Effects
hydrochloric acid (7647-01-0/231-595-7)	DNEL	Chronic (long term) Inhalation	8 mg/m³	Workers	Local
hydrochloric acid (7647-01-0/231-595-7)	DNEL	Chronic (long term) Inhalation	8 mg/m³	Consumers	Local
Bis-(2-hydroxyethyl)oleylamine (25307-17-9/246-807-3)	DNEL	Chronic (long term) Dermal	0.25 mg/kg	Workers	Systemic
Bis-(2-hydroxyethyl)oleylamine (25307-17-9/246-807-3)	DNEL	Chronic (long term) Inhalation	1.76 mg/m³	Workers	Systemic
Bis-(2-hydroxyethyl)oleylamine (25307-17-9/246-807-3)	DNEL	Chronic (long term) Oral	0.179 mg/kg	Consumers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Туре	Environmental compartment	Value
hydrochloric acid (7647-01-0/231-595-7)	PNEC	Marine water	36 µg/l
hydrochloric acid (7647-01-0/231-595-7)	PNEC	Sewage Treatment Plant	36 µg/l
hydrochloric acid (7647-01-0/231-595-7)	PNEC	Soil	0.036 mg/kg
Bis-(2-hydroxyethyl)oleylamine (25307-17-9/246-807-3)	PNEC	Marine water	0.00002 mg/l
Bis-(2-hydroxyethyl)oleylamine (25307-17-9/246-807-3)	PNEC	Sewage Treatment Plant	1.5 mg/l
Bis-(2-hydroxyethyl)oleylamine (25307-17-9/246-807-3)	PNEC	Sediment (marine water)	0.1692 mg/kg

Rapido

Version number:

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

Product/Substance name (CAS No./EC No.)	Туре	Environmental compartment	Value
Bis-(2-hydroxyethyl)oleylamine (25307-17-9/246-807-3)	PNEC	Soil	5 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Eye / face protection

Chemical-resistant safety glasses with side protection (EN 166)

Hand protection

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Other skin protection

long sleeved clothing

Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

Thermal hazards

Not applicable

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Red

<u>Odour</u>

perfumed

Odour threshold

Not determined for the mixture.

Melting point / freezing point

Not determined for the mixture.

Rapido

Version number:

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

Boiling point or initial boiling point and boiling range

Not determined for the mixture.

Flammability

Not applicable.

Lower and upper explosion limit

Not applicable.

Flash point

No data available

Auto-ignition temperature

Not determined for the mixture.

Decomposition temperature

Not determined for the mixture.

рΗ

2

Method

1 % aqueous solution

Kinematic viscosity

Not determined for the mixture.

Viscosity, dynamic

Not determined for the mixture.

Solubility

No data available

Water solubility

miscible

Partition coefficient n-octanol/water

Not determined for the mixture.

Vapour pressure

Not determined for the mixture.

Density and/or relative density

1.06 g/cm³

Relative vapour density

Not determined for the mixture.

Evaporation Rate

Not determined for the mixture.

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

Explosive properties

The product / mixture has no explosive properties.

Oxidising properties

The product / mixture has no oxidizing properties.

VOC %

< 3 %

9.2. Other information

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

bases

10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

By heating or fire toxic gas is liberated.

Heat development on contact with alkalis.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components

Acute toxicity

Based on the available data, the classification criteria are not met.

Rapido

Version number:

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
hydrochloric acid 7647-01-0 / 231- 595-7	LD50	2222 mg/kg	Oral	-	rat	calculated
hydrochloric acid 7647-01-0 / 231- 595-7	LC50	45,6 mg/l	Inhalative	5 min.	rat	-
Alcohols, C12- 14, ethoxylated 68439-50-9 /	LD50	<2.000 mg/kg	Oral	-	rat	-
Bis-(2- hydroxyethyl)ole ylamine 25307-17-9 / 246-807-3	LD50	>300 - 2000 mg/kg	Oral	-	rat	OECD 401

Skin corrosion/irritation

Skin corrosion, hazard category 1A Causes severe skin burns.

Serious eye damage/irritation

Causes severe eye burns.

Germ cell mutagenicity

No data available

Mutagenicity

Based on the available data, the classification criteria are not met.

Carcinogenicity

Based on the available data, the classification criteria are not met.

Reproductive toxicity

Based on the available data, the classification criteria are not met.

STOT-single exposure

Based on the available data, the classification criteria are not met.

STOT-repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

11.2. Information on other hazards

Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
hydrochloric acid 31% 7647-01-0 / 231- 595-7	LC50	20,5 mg/l	24h	Lepomis macrochirus	-
Bis-(2- hydroxyethyl)oleyla mine 25307-17-9 / 246- 807-3	LC50	>0,1 - 1 mg/l	96h	Danio rerio	OECD 203

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Endpoint of the test	Species	Method / Guideline
hydrochloric acid 31% 7647-01-0 / 231- 595-7	ErC50	0,73 mg/l	72h	Growth rate	Chlorella vulgaris (Fresh water algae)	OECD 201
Bis-(2- hydroxyethyl)ole ylamine 25307-17-9 / 246-807-3	EC50	> 0,01 - 0,1 mg/l	72h	-	P00.00002240.1 0410	OECD 201

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
hydrochloric acid 31% 7647-01-0 / 231- 595-7	EC50	0,45 mg/l	48h	Daphnia magna (Water flea)	OECD 202
Bis-(2- hydroxyethyl)oleyla mine 25307-17-9 / 246- 807-3	EC50	>0,01 - 0,1 mg/l	48h	Daphnia magna (Water flea)	OECD 202

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Endpoint of the test	Species	Method / Guideline
hydrochloric acid 7647-01-0 / 231- 595-7	EC50	0,23 mg/l	3h	Respiration inhibition	Activated sludge	OECD 209

12.2. Persistence and degradability

Persistence and degradability

No information available

Decay/transformation

No information available

12.3. Bioaccumulative potential

Bioaccumulative potential

No information available

12.4. Mobility in soil

Mobility

No information available

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

Rapido

Version number:

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

12.7. Other adverse effects

Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging: Dispose of as unused product.

Waste code	Description
06 01 02*	hydrochloric acid

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number

UN1789

14.2. UN proper shipping name

HYDROCHLORIC ACID

IMDG proper shipping name

HYDROCHLORIC ACID

14.3. Transport hazard class(es)

<u>Label</u>



ADR / RID Class

8

ADR / RID Classification code

C1

ADR / RID hazard identification number

80

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

IMDG Class

8

IATA Class

8

ADN Class

8

ADN Class Code

C1

14.4. Packing group

Ш

14.5. Environmental hazards

Environmental hazards

The product contains following substances which are hazardous for the environment: Bis-(2-hydroxyethyl)oleylamine

IMDG Marine Pollutant

No

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other

Additional information ADR-RID

LQ: 1 L EQ: E2

Transport category (tunnel restriction code): 2 (E)

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture *EU regulations*

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: <5% non-ionic surfactants, contains perfumes.

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: not applicable

Substance restrictions according to Annex XVII: not applicable Substances on the REACH candidate list (SVHC): not applicable

Regulation (EU) No. 528/2012 (BPR) Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

SECTION 16: Other information

Changes to previous revision

Adaptation to the amending regulation (EU) 2020/878

Section 2: Classification and hazard labelling

Section 14: Transport information

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR - Accord relatif au transport international des marchandises Dangereuses par Route

CAS - Chemical Abstract Service

CLP - Classification, Labelling and Packaging

DMEL - Derived Minimum Effect Level

DNEL - Derived no effect level

EC50 - Half maximal effective concentration 50%

GHS - Globally Harmonised System

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Lethal concentration 50%

LD50 - Lethal dosis 50 %

MARPOL - International Convention for the Prevention of Pollution from Ships

PBT - Persistent, bioaccumulative and toxic substance

PEC - Predicted Environmental Concentration

PNEC - predicted no effect concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals

RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses

SVHC - Substance of very high concern

vPvB - Very persistent, very bioaccumulative substance

References to key literature and data sources

REACH registration dossiers

ECHA C&L - Inventory

Safety data sheets from raw material suppliers

Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:

Health hazards: calculation method

Environmental hazards: calculation method

Rapido

Version number: 6

Issued: 2023-03-23 **Replaces SDS:** 2019-08-21

Phrase meaning

Met. Corr. 1 - Corrosive to metals, hazard category 1 Skin Corr. 1B - Skin corrosion, hazard category 1B

Eye Dam. 1 - Serious eye damage, hazard category 1

 ${\tt STOT\ SE\ 3-resp.\ tract\ irrit.\ -Specific\ Target\ Organ\ Toxicity} --{\tt Single\ exposure,\ hazard\ category}$

3 - respiratory tract irritation

Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4

Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3

Aquatic Chronic 1 - Hazardous to the aquatic environment — Chronic hazard category 1

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Other

Additional information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Manufacturer's notes

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.