

# Premium No 4

Version number: 6.0  
Issued: 2023-03-23  
Replaces SDS: 2019-02-20

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier                      Product nr: 21060

**Trade name**

Premium No 4

**UFI code**

FM0T-UA4R-WG1Y-UXKY

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**

Polymer wipe care for professional users.

**Not suitable for use in**

All other uses are discouraged.

### 1.3. Details of the supplier of the safety data sheet

**Supplier**

Premiere Produkter AS

Austbøsletta 6

4085 Hundvåg

Norway

+47 51 85 83 00

post@premiere-produkter.no

www.premiere-produkter.no

### 1.4. Emergency telephone number

Poison central tlf: (+47) 22 59 13 00

**Available outside office hours** Yes

# Premium No 4

Version number: 6.0  
Issued: 2023-03-23  
Replaces SDS: 2019-02-20

KLEEN  
PURGATIS

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

**Classification**

Eye irritation, hazard category 2

**Hazard statements**

H319

**Supplemental hazard statements**

EUH208

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

**Hazard pictograms**



**Signal word**

Warning

**Hazard statements**

H319 Causes serious eye irritation.

**Supplemental hazard statements**

EUH208 Contains 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

**Precautionary statements**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P333 +P313 If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

# Premium No 4

Version number: 6.0  
 Issued: 2023-03-23  
 Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
Ethanol	64-17-5 200-578-6 01-2119457610-43-xxxx 603-002-00-5	1 - 5%	Flam. Liq. 2	H225 - -	-
Alcohols, C12-14, ethoxylated	68439-50-9 - 01-2119487984-16-xxxx -	1 - <3%	Acute Tox. 4 - oral, Eye Dam. 1, Aquatic Chronic 3	H302, H318, H412 - -	-
2-Ethylhexanol ethoxylate	26468-86-0 - - -	1 - 3%	Eye Irrit. 2	H319 - -	-
Alcohols, C12-14, ethoxylated propoxylated	68439-51-0 - - -	1 - <2%	Aquatic Chronic 3	H412 - -	-
Alcohols, C13-15, branched and linear, ethoxylated	157627-86-6 - - -	1 - <2%	Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3	H319, H400, H412 - -	-

#### **Substance additional information**

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### **Description of first aid measures**

First responders: Pay attention to self-protection.

#### **Inhalation**

Take the victim into fresh air. If symptoms persist, call a physician.

#### **Skin contact**

Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.

#### **Eye contact**

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

# Premium No 4

Version number: 6.0  
Issued: 2023-03-23  
Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

## **Ingestion**

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Get medical attention immediately.

## **Information for doctors**

Show this safety data sheet to the doctor in attendance.

## **4.2. Most important symptoms and effects, both acute and delayed**

Immediate effects can be expected after long-term exposure.

## **Inhalation**

Inhalation of vapours in high concentration may cause irritation of respiratory system.

## **Skin contact**

May cause skin irritation. May cause sensitization by skin contact.

## **Eye contact**

May cause eye irritation.

## **Ingestion**

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

## **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Water spray, dry powder, foam, carbon dioxide (CO<sub>2</sub>).

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire.

### **5.2. Special hazards arising from the substance or mixture**

Not applicable

### **5.3. Advice for firefighters**

#### **Special protective equipment for fire-fighters**

In the event of fire, wear self contained breathing apparatus.

#### **Measures in case of fire**

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

# Premium No 4

Version number: 6.0  
Issued: 2023-03-23  
Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product. Ensure adequate ventilation.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Preventive handling precautions

Ensure adequate ventilation, especially in confined areas. Wear personal protective equipment. Avoid direct contact with the material / product.

#### General hygiene

Wash hands after handling.

When using, do not eat, drink or smoke.

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep away from food, drink and animal feeding stuffs.

Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 12 (non-flammable liquids)

Suitable container and packaging materials for safe storage

Storage temperature: 10°C to 40°C

### 7.3. Specific end use(s)

GISCODE: GU80

See section 1.2: Polymer wipe care

# Premium No 4

Version number: 6.0  
 Issued: 2023-03-23  
 Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Oral	87 mg/m <sup>3</sup>	Consumers	Systemic
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Dermal	343 mg/m <sup>3</sup>	Workers	Systemic
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Dermal	206 mg/m <sup>3</sup>	Consumers	Systemic
ethanol (64-17-5/200-578-6)	DNEL	Chronic (long term) Inhalation	950 mg/m <sup>3</sup>	Workers	Systemic

#### PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
ethanol (64-17-5/200-578-6)	PNEC	Marine water	0.79 mg/l
ethanol (64-17-5/200-578-6)	PNEC	Sediment (marine water)	2.9 mg/kg
ethanol (64-17-5/200-578-6)	PNEC	Soil	0.63 mg/kg
ethanol (64-17-5/200-578-6)	PNEC	Sewage Treatment Plant	580 mg/l

### 8.2. Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

#### Eye / face protection

Safety glasses with side-shields conforming to EN166

#### Hand protection

Wear chemical-resistant disposable protective gloves according to EN 374.

#### Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

# Premium No 4

Version number: 6.0  
Issued: 2023-03-23  
Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

## **Respiratory protection**

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

## **Thermal hazards**

Not applicable

## **Environmental exposure controls**

No special environmental precautions required.

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

#### **Physical state**

Liquid

#### **Colour**

Green

#### **Odour**

fresh scent

#### **Odour threshold**

Not determined for the mixture.

#### **Melting point / freezing point**

Not determined for the mixture.

#### **Boiling point or initial boiling point and boiling range**

Not determined for the mixture.

#### **Flammability**

Not applicable.

#### **Lower and upper explosion limit**

The product / mixture has no explosive properties.

#### **Flash point**

> 60 °C

#### **Auto-ignition temperature**

Not applicable.

#### **Decomposition temperature**

Not determined for the mixture.

#### **pH**

9

#### **Method**

100% (pure product)

# Premium No 4

Version number: 6.0  
Issued: 2023-03-23  
Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

## Kinematic viscosity

Not determined for the mixture.

## Viscosity, dynamic

Not determined for the mixture.

## Solubility

Water soluble

## Water solubility

completely miscible

## Partition coefficient n-octanol/water

Not determined for the mixture.

## Vapour pressure

Not determined for the mixture.

## Density and/or relative density

1.002 g/cm<sup>3</sup>

## Relative vapour density

Not determined for the mixture.

## Evaporation Rate

Not determined for the mixture.

## Explosive properties

The product / mixture has no explosive properties.

## Oxidising properties

The product / mixture has no oxidizing properties.

## VOC %

< 3 %

## Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

## 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable at normal conditions

### 10.2. Chemical stability

The product is chemically stable.



# Premium No 4

Version number: 6.0  
 Issued: 2023-03-23  
 Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

## 10.3. Possibility of hazardous reactions

None under normal use.

## 10.4. Conditions to avoid

Protect from frost, heat and sunlight.

## 10.5. Incompatible materials

strong acids and strong bases  
 Oxidizing agent

## 10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicology data for the components

#### Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
2-Ethylhexanol ethoxylate 26468-86-0 /	LD50	>2.000 mg/kg	Oral	-	rat	-
ethanol 64-17-5 / 200-578-6	LD50	10.470 mg/kg	Oral	-	rat	OECD 401
ethanol 64-17-5 / 200-578-6	LD50	> 2.000 mg/kg	Dermal	-	rabbit	OECD 402
ethanol 64-17-5 / 200-578-6	LC50	> 50 mg/l	Inhalation	4 h	rat	OECD 403
ethanol 64-17-5 / 200-578-6	LC50	> 20 mg/l	Inhalation	4 h	mouse	-
Alcohols, C12-14, ethoxylated 68439-50-9 /	LD50	<2.000 mg/kg	Oral	-	rat	-
alcohols, C12-14, ethoxylated propoxylated 68439-51-0 /	LD50	> 2.000 mg/kg	Oral	-	rat	-

# Premium No 4

Version number: 6.0  
 Issued: 2023-03-23  
 Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

Product / Sub-stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline
alcohols, C12-14, ethoxylated propoxylated 68439-51-0 /	LD50	> 5.000 mg/kg	Dermal	-	rat	-

### **Skin corrosion/irritation**

Based on the available data, the classification criteria are not met.

### **Serious eye damage/irritation**

Eye irritation, hazard category 2

### **Respiratory or skin sensitisation**

Based on the available data, the classification criteria are not met.

### **Germ cell mutagenicity**

No data available

### **Genotoxicity**

Based on the available data, the classification criteria are not met.

### **Mutagenicity**

Based on the available data, the classification criteria are not met.

### **Carcinogenicity**

Based on the available data, the classification criteria are not met.

### **Reproductive toxicity**

Based on the available data, the classification criteria are not met.

### **STOT-single exposure**

Based on the available data, the classification criteria are not met.

### **STOT-repeated exposure**

Based on the available data, the classification criteria are not met.

### **Aspiration hazard**

Based on the available data, the classification criteria are not met.

## 11.2. Information on other hazards

### **Endocrine disrupting properties**

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

# Premium No 4

Version number: 6.0  
 Issued: 2023-03-23  
 Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
ethanol 64-17-5 / 200-578-6	LC50	8.140 mg/l	48 h	Golden orfe
alcohols, C12-14, ethoxylated propoxylated 68439-51-0 /	LC50	> 1 - < 10 mg/l	48 h	Golden orfe
2-Ethylhexanol ethoxylate 26468-86-0 /	LC50	>10-100 mg/l	96h	Rainbow trout

#### Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
ethanol 64-17-5 / 200-578-6	EC50	275 mg/l	72 h	Chlorella vulgaris (Fresh water algae)	OECD 201
alcohols, C12-14, ethoxylated propoxylated 68439-51-0 /	EC50	> 1 - < 10 mg/l	72 h	Scenedesmus subspicatus)	-
2-Ethylhexanol ethoxylate 26468-86-0 /	EC50	> 1-10 mg/l	72h	P00.00004040.1041 0	-

#### Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
ethanol 64-17-5 / 200-578-6	EC50	> 10.000 mg/l	48 h	Daphnia magna (Water flea)
alcohols, C12-14, ethoxylated propoxylated 68439-51-0 /	EC50	> 1 - < 10 mg/l	24 h	Daphnia magna (Water flea)
2-Ethylhexanol ethoxylate 26468-86-0 /	EC50	>1-10 mg/l	48h	Daphnia magna (Water flea)

# Premium No 4

Version number: 6.0  
 Issued: 2023-03-23  
 Replaces SDS: 2019-02-20



KLEEN  
PURGATIS

## 12.2. Persistence and degradability

### Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

## 12.3. Bioaccumulative potential

### Bioaccumulative potential

No information available

## 12.4. Mobility in soil

### Mobility

No information available

## 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

## 12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

## 12.7. Other adverse effects

### Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

#### Packaging

Do not re-use empty containers. Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging : Dispose of as unused product.

Waste code	Description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (\*) next to a code denotes that it is HAZARDOUS WASTE.

## SECTION 14: Transport information

### 14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

# Premium No 4

Version number: 6.0  
Issued: 2023-03-23  
Replaces SDS: 2019-02-20



## 14.2. UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

## 14.3. Transport hazard class(es)

### Label

Not classified as dangerous in the meaning of transport regulations.

## 14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

## 14.5. Environmental hazards

### Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

## 14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

## 14.7. Maritime transport in bulk according to IMO instruments

Not classified as dangerous in the meaning of transport regulations.

## Other

No data available

# Premium No 4

Version number: 6.0  
Issued: 2023-03-23  
Replaces SDS: 2019-02-20



## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: 5-15% non-ionic surfactants. Contains: preservatives (METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE), perfumes.

Regulation (EC) No. 1272/2008 (CLP)

EU Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

#### National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

#### Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

## SECTION 16: Other information

#### Changes to previous revision

Adaptation to the amending regulation (EU) 2020/878

Section 2: Classification and hazard labelling - Preservative

Section 3: Composition/information on ingredients

# Premium No 4



KLEEN  
PURGATIS

Version number: 6.0  
 Issued: 2023-03-23  
 Replaces SDS: 2019-02-20

## **Abbreviations**

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ADR - Accord relatif au transport international des marchandises Dangereuses par Route  
 CAS - Chemical Abstract Service  
 CLP - Classification, Labelling and Packaging  
 DMEL - Derived Minimum Effect Level  
 DNEL - Derived no effect level  
 EC50 - Half maximal effective concentration 50%  
 GHS - Globally Harmonised System  
 IATA - International Air Transport Association  
 IMDG - International Maritime Dangerous Goods  
 LC50 - Lethal concentration 50%  
 LD50 - Lethal dosis 50 %  
 MARPOL - International Convention for the Prevention of Pollution from Ships  
 PBT - Persistent, bioaccumulative and toxic substance  
 PEC - Predicted Environmental Concentration  
 PNEC - predicted no effect concentration  
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals  
 RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses  
 SVHC - Substance of very high concern  
 vPvB - Very persistent, very bioaccumulative substance

## **References to key literature and data sources**

Safety data sheets from raw material suppliers  
 REACH registration dossiers  
 ECHA C&L - Inventory

## **Evaluation methods for classification**

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:  
 Health hazards: calculation method

## **Phrase meaning**

Flam. Liq. 2 - Flammable liquids, hazard category 2  
 Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4  
 Eye Dam. 1 - Serious eye damage, hazard category 1  
 Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3  
 Eye Irrit. 2 - Eye irritation, hazard category 2  
 Aquatic Acute 1 - Hazardous to the aquatic environment — Acute hazard category 1  
 H225 Highly flammable liquid and vapour.  
 H302 Harmful if swallowed.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H400 Very toxic to aquatic life.  
 H412 Harmful to aquatic life with long lasting effects.

# Premium No 4

**Version number:** 6.0  
**Issued:** 2023-03-23  
**Replaces SDS:** 2019-02-20



## Other

### **Additional information**

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

### **Manufacturer's notes**

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.