

# Piccomat Tab

Version number: 3  
Issued: 2023-03-23  
Replaces SDS: 2019-01-14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier Prod nr: 21065

**Trade name**

Piccomat Tab

**UFI code**

9H6K-DJTC-KW0A-KPKD

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**

Vending machine cleaner for professional users.

**Not suitable for use in**

All other uses are discouraged.

### 1.3. Details of the supplier of the safety data sheet

**Supplier**

Premiere Produkter AS

Austbøsletta 6

4085 Hundvåg

Norway

+47 51 85 83 00

post@premiere-produkter.no

www.premiere-produkter.no

### 1.4. Emergency telephone number

Poison central tlf: (+47) 22 59 13 00

**Available outside office hours** Yes

# Piccomat Tab

Version number: 3  
Issued: 2023-03-23  
Replaces SDS: 2019-01-14

KLEEN  
PURGATIS

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

#### Hazard classes

Eye irritation, hazard category 2

#### Hazard statements

H319

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

#### Hazard pictograms



#### Signal word

Warning

#### Hazard statements

H319 Causes serious eye irritation.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrases M factor acute M factor chronic	Note
Citric acid	77-92-9 201-069-1 01-2119457026-42-xxxx -	20 - 50%	Eye Irrit. 2	H319 - -	-
sodium carbonate	497-19-8 207-838-8 01-2119485498-19-xxxx 011-005-00-2	20 - 50%	Eye Irrit. 2	H319 - -	-
sulphamidic acid	5329-14-6 226-218-8 01-2119488633-28-xxxx 016-026-00-0	5 - 10%	Aquatic Chronic 3, Skin Irrit. 2, Eye Irrit. 2	H315, H319, H412 - -	-
Oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block	196823-11-7 677-779-4 - -	5 - 10%	Eye Irrit. 2	H319 - -	-
potassium carbonate	584-08-7 209-529-3 01-2119532646-36-xxxx -	1 - 5%	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3 - resp. tract irrit.	H315, H319, H335 - -	-

#### **Substance additional information**

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First responders: Pay attention to self-protection.

#### **Inhalation**

Not applicable.

#### **Skin contact**

In case of contact, immediately flush skin with plenty of water. If skin irritation persists, call a physician.

# Piccomat Tab

Version number: 3  
Issued: 2023-03-23  
Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

## **Eye contact**

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

## **Ingestion**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If symptoms persist, call a physician.

## **Information for doctors**

Show this safety data sheet to the doctor in attendance.

## **4.2. Most important symptoms and effects, both acute and delayed**

### **Inhalation**

Not applicable.

### **Skin contact**

May cause skin irritation.

### **Eye contact**

May cause eye irritation.

### **Ingestion**

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

## **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. water spray, extinguishing powder, foam or carbon dioxide.

#### **Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire.

### **5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products formed under fire conditions.

### **5.3. Advice for firefighters**

#### **Special protective equipment for fire-fighters**

Not required.

### **Other**

#### **Measures in case of fire**

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

# Piccomat Tab

Version number: 3  
Issued: 2023-03-23  
Replaces SDS: 2019-01-14



## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Dispose of as hazardous waste in compliance with local and national regulations.

### 6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### **Preventive handling precautions**

Wear personal protective equipment. Avoid direct contact with the material / product.

#### **General hygiene**

When using, do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the product.

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from food, drink and animal feeding stuffs. Store in a place accessible by authorized persons only.

Storage class according to TRGS 510: 13 (non-combustible solids)

Storage temperature: 10°C to 40°C

Keep in a dry place.

### 7.3. Specific end use(s)

GISCODE: GU70

See section 1.2: Vending machine cleaner

# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	10 mg/m <sup>3</sup>	Workers	Local
sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	10 mg/m <sup>3</sup>	Workers	Local
sulphamidic acid (5329-14-6/226-218-8)	DNEL	Chronic (long term) Inhalation	70.5 mg/m <sup>3</sup>	Workers	Systemic
potassium carbonate (584-08-7/209-529-3)	DNEL	Chronic (long term) Inhalation	10 mg/m <sup>3</sup>	Workers	Local

#### PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
Citric acid (77-92-9/201-069-1)	PNEC	Freshwater	0.44 mg/l
Citric acid (77-92-9/201-069-1)	PNEC	Marine water	0.044 mg/l
Citric acid (77-92-9/201-069-1)	PNEC	Sewage Treatment Plant	1000 mg/l
Citric acid (77-92-9/201-069-1)	PNEC	Sediment (freshwater)	34.6 mg/kg
Citric acid (77-92-9/201-069-1)	PNEC	Sediment (marine water)	3.46 mg/kg
Citric acid (77-92-9/201-069-1)	PNEC	Soil	33.1 mg/kg
sulphamidic acid (5329-14-6/226-218-8)	PNEC	Freshwater	1.8 mg/l
sulphamidic acid (5329-14-6/226-218-8)	PNEC	Marine water	0.18 mg/l
sulphamidic acid (5329-14-6/226-218-8)	PNEC	Sewage Treatment Plant	20 mg/l
sulphamidic acid (5329-14-6/226-218-8)	PNEC	Sediment (freshwater)	0.36 mg/kg
sulphamidic acid (5329-14-6/226-218-8)	PNEC	Sediment (marine water)	0.84 mg/kg

# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
sulphamic acid (5329-14-6/226-218-8)	PNEC	Soil	5 mg/kg

## 8.2. Exposure controls

### Appropriate engineering controls

Not required.

### Eye / face protection

Chemical-resistant safety glasses with side protection (EN 166)

Contact with eyes may cause irritation.

### Hand protection

Wear chemical-resistant disposable protective gloves according to EN 374.

Prolonged skin contact may cause skin irritation.

### Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

### Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

### Thermal hazards

Not applicable

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

tablet

#### Colour

white

#### Odour

perfumed

#### Odour threshold

not applicable

#### Melting point / freezing point

not applicable

# Piccomat Tab

Version number: 3  
Issued: 2023-03-23  
Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

## **Boiling point or initial boiling point and boiling range**

not applicable

## **Flammability**

Not applicable.

## **Lower and upper explosion limit**

The product / mixture has no explosive properties.

## **Flash point**

No data available

## **Auto-ignition temperature**

Not applicable.

## **Decomposition temperature**

No data available

## **pH**

5.7

## **Method**

1 % aqueous solution

## **Kinematic viscosity**

No data available

## **Solubility**

Water soluble

## **Water solubility**

completely soluble

## **Partition coefficient n-octanol/water**

No data available

## **Vapour pressure**

not applicable

## **Density and/or relative density**

980 g/l

## **Method**

Bulk density

## **Relative vapour density**

Not determined for the mixture.

## **Explosive properties**

The product / mixture has no explosive properties.

## **Oxidising properties**

The product / mixture has no oxidizing properties.



# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

## VOC %

<3 %

## Particle characteristics

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.

## 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable at normal conditions

### 10.2. Chemical stability

The product is chemically stable.

### 10.3. Possibility of hazardous reactions

None under normal use.

### 10.4. Conditions to avoid

Protect from moisture.

### 10.5. Incompatible materials

None known

### 10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

Hazardous decomposition products formed under fire conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline	Remarks
Citric acid 77-92-9 / 201-069-1	LD50	5.400 mg/kg	Oral	-	mouse	OECD test guideline 401	ECHA
Citric acid 77-92-9	LD50	>2.000 mg/kg	Dermal	-	rat	OECD test guideline 402	ECHA

# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Method / Guideline	Remarks
sodium carbonate 497-19-8 / 207-838-8	LD50	2.800 mg/kg	Oral	-	rat	-	-
sodium carbonate 497-19-8 / 207-838-8	LD50	>2.000mg/kg	Dermal	-	rabbit	-	-
sodium carbonate 497-19-8 / 207-838-8	LC50	2.300 mg/m <sup>3</sup>	Inhalativ	2h	rat	-	-
sulphamic acid 5329-14-6 / 226-218-8	LD50	2.140 mg/kg	Oral	-	rat	-	ECHA
sulphamic acid 5329-14-6 / 226-218-8	LD50	> 2.000 mg/kg	Dermal	-	rat	OECD test guideline 402	ECHA
Oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block 196823-11-7 / 677-779-4	LD50	> 2.000 - 5.000 mg/kg	Oral	-	rat	OECD test guideline 423	-

### **Skin corrosion/irritation**

Based on the available data, the classification criteria are not met.

### **Serious eye damage/irritation**

Cause eye irritation.

### **Respiratory or skin sensitisation**

Based on the available data, the classification criteria are not met.

### **Germ cell mutagenicity**

Based on the available data, the classification criteria are not met.

### **Mutagenicity**

Based on the available data, the classification criteria are not met.

# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

## Carcinogenicity

Based on the available data, the classification criteria are not met.

## Reproductive toxicity

Based on the available data, the classification criteria are not met.

## STOT-single exposure

Based on the available data, the classification criteria are not met.

## STOT-repeated exposure

Based on the available data, the classification criteria are not met.

## Aspiration hazard

Based on the available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Toxicity

Toxicology data for the components

#### Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
Citric acid 77-92-9 / 201-069-1	LC50	440 mg/l	48 h	Golden orfe	OECD test guideline 203	ECHA
sodium carbonate 497-19-8 / 207-838-8	LC50	300 mg/l	96h	Lepomis macrochirus	-	-
sulphamic acid 5329-14-6 / 226-218-8	LC50	70,3 mg/l	96 h	Pimephales promelas	OECD test guideline203	ECHA
Oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block	LC50	>1 - 10 mg/l	96h	Brachydanio rerio (zebra fish)	OECD test guideline 203	-

# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14

KLEEN  
PURGATIS

## Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
sulphamidic acid 5329-14-6 / 226-218-8	LC50	33,8 mg/l	72 h	Desmodesmus subspicatus	OECD test guideline201	ECHA
sulphamidic acid 5329-14-6 / 226-218-8	ErC50	48 mg/l	72 h	Desmodesmus subspicatus	OECD test guideline201	ECHA

## Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
Citric acid 77-92-9 / 201-069-1	LC50	1.535 mg/l	24 h	Daphnia magna (Water flea)	-	ECHA
sodium carbonate 497-19-8 / 207-838-8	EC50	200-227 mg/l	48h	Ceriodaphnia dubia	-	-
sulphamidic acid 5329-14-6 / 226-218-8	EC50	71,6 mg/l	48 h	Daphnia magna	OECD test guideline202	ECHA

# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

## ***Micro-/macro organism toxicity***

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block	EC20	>10 - 100 mg/l	30 min	Activated sludge	OECD test guideline 209

## ***Chronical toxicity***

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline	Remark
sulphamic acid 5329-14-6 / 226-218-8	LOEC	34 mg/l	21 d	Daphnia magna	OECD test guideline211	ECHA
sulphamic acid 5329-14-6 / 226-218-8	NOEC	19 mg/l	21 d	Daphnia magna	OECD test guideline211	ECHA
sulphamic acid 5329-14-6 / 226-218-8	EbCx 10 %	13,3 mg/l	72 h	Desmodesmus subspicatus	OECD test guideline201	ECHA
sulphamic acid 5329-14-6 / 226-218-8	EC50	> 60 mg/l	21 d	Daphnia magna	OECD test guideline211	ECHA
sulphamic acid 5329-14-6 / 226-218-8	NOEC	>= 60 mg/l	34 d	Danio rerio	OECD test guideline210	ECHA

## **12.2. Persistence and degradability**

### **Persistence and degradability**

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.

## **12.3. Bioaccumulative potential**

### **Bioaccumulative potential**

No information available

## **12.4. Mobility in soil**

### **Mobility**

No information available

# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14



KLEEN  
PURGATIS

## 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

## 12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

## 12.7. Other adverse effects

### Other adverse effects

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal considerations

In accordance with local and national regulations.

#### Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Waste code	Description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (\*) next to a code denotes that it is HAZARDOUS WASTE.

## SECTION 14: Transport information

### 14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

### 14.2. UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

### 14.3. Transport hazard class(es)

#### Label

Not classified as dangerous in the meaning of transport regulations.

### 14.4. Packing group

Not classified as dangerous in the meaning of transport regulations.

### 14.5. Environmental hazards

#### Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

### 14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

# Piccomat Tab

Version number: 3  
Issued: 2023-03-23  
Replaces SDS: 2019-01-14



## 14.7. Maritime transport in bulk according to IMO instruments

No data available

### Other

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: 5-15% nonionic surfactants, <5% phosphonates.

Contains: perfumes, LIMONENE, LINALOOL

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: No

Substance restrictions according to Annex XVII: No

Substances on the REACH candidate list (SVHC): No

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

#### National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

#### Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.

# Piccomat Tab

Version number: 3  
 Issued: 2023-03-23  
 Replaces SDS: 2019-01-14



## SECTION 16: Other information

### Changes to previous revision

Adaptation to the amending regulation (EU) 2020/878

### Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ADR - Accord relatif au transport international des marchandises Dangereuses par Route  
 CAS - Chemical Abstract Service  
 CLP - Classification, Labelling and Packaging  
 DMEL - Derived Minimum Effect Level  
 DNEL - Derived no effect level  
 EC50 - Half maximal effective concentration 50%  
 GHS - Globally Harmonised System  
 IATA - International Air Transport Association  
 IMDG - International Maritime Dangerous Goods  
 LC50 - Lethal concentration 50%  
 LD50 - Lethal dosis 50 %  
 MARPOL - International Convention for the Prevention of Pollution from Ships  
 PBT - Persistent, bioaccumulative and toxic substance  
 PEC - Predicted Environmental Concentration  
 PNEC - predicted no effect concentration  
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals  
 RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses  
 SVHC - Substance of very high concern  
 vPvB - Very persistent, very bioaccumulative substance

### References to key literature and data sources

REACH registration dossiers  
 ECHA C&L - Inventory  
 Safety data sheets from raw material suppliers

### Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:  
 Health hazards: calculation method

### Phrase meaning

Eye Irrit. 2 - Eye irritation, hazard category 2  
 Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3  
 Skin Irrit. 2 - Skin irritation, hazard category 2  
 STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H412 Harmful to aquatic life with long lasting effects.



# Piccomat Tab

Version number: 3  
Issued: 2023-03-23  
Replaces SDS: 2019-01-14



## Other

### **Additional information**

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

### **Manufacturer's notes**

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.