According to Regulation (EC) No 1907/2006 amended by Regulation (EU) 2020/878



Compilation date: 06.12.2010

Revision date: 15.11.2023

Revision No: 5.2



Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: RAPIDO Product nr: 21084

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Radical sanitary cleaner for professional users

1.3. Details of the supplier of the safety data sheet

Company name: KLEEN PURGATIS GmbH

Dieselstraße 10

D - 32120 Hiddenhausen

Deutschland

Tel: +49 (0)5223 - 9970-40

Fax: +49 (0)5223 - 9970-195

Email: info@kleen-purgatis.de

1.4. Emergency telephone number

Emergency tel: +49 (0)551 - 19240 (GIZ-Nord)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314; STOT SE 3: H335

Most important adverse effects: Causes severe skin burns and eye damage. May cause respiratory irritation.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark





Signal words: Danger

Hazard components for labelling: Hydrochloric acid

Precautionary statements: P102: Keep out of reach of children.

P261: Avoid breathing vapours.

P280: Wear protective gloves/eye protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

[cont...]

RAPIDO

Page: 2

Rinse skin with water [or shower].

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P310: Immediately call a POISON CENTER / doctor.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HYDROCHLORIC ACID (30%) - REACH registered number(s): 01-2119484862-27-0000

EINECS	CAS	SCL	CLP Classification	Percent
231-595-7	7647-01-0	-	Met. Corr. 1: H290; Skin Corr. 1B:	25-50%
			H314; STOT SE 3: H335	

FATTY ALCOHOL ETHOXYLATE - REACH registered number(s): 01-2119487984-16-0000

-	68439-50-9	- Acute Tox. 4: H302; Eye Dam. 1: H318;		1-5%
			Aquatic Chronic 3: H412	

BIS(2-HYDROXYETHYL) OLEYLAMINE - REACH registered number(s): 01-2119510876-35-0000

246-807-3	25307-17-9	- Acute Tox. 4: H302; Skin Corr. 1A:		<1%
			H314; Aquatic Acute 1: H400	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. In case of skin irritation, consult a physician.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Rinse mouth immediately and drink plenty of water. Do not induce vomiting. Seek

medical advice.

Inhalation: Provide fresh air. In case of respiratory tract irritation, consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. There may be bleeding from the mouth or

nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat.

RAPIDO

Page: 3

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Show this safety data sheet to the doctor in attendance.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes. Prevent the extinguishing water into surface water or groundwater.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Keep unprotected people away and stay on the upwind side.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal

binding agents). Ventilate affected area. Use neutralizing agents. Refer to section 13 of

SDS for suitable method of disposal.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from food,

drink and animal feedingstuffs. Storage class: 8B (Non-combustible corrosive

substances)

Suitable packaging: Must only be kept in original packaging. Don't use metal containers.

7.3. Specific end use(s)

Specific end use(s): GISCODE: GS80

RAPIDO

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

HYDROCHLORIC ACID (30%)

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	5 ppm	10 ppm	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Wear chemical-resistant disposable protective gloves according to EN 374. Suitable

material: NR (natural rubber), CR (polychloroprene) or NBR (nitrile rubber), category III according to EN 374. The quality of the protective gloves resistant to chemicals must be

chosen as a function of the specific working place concentration and quantity of

hazardous substances. Breakthrough time (maximal wear duration): Wear duration with occasional contact, splashes (Level 2: < 30 min): Disposable-gloves, Thickness of the material 0,1mm. Wear duration with permanent contact (Level 6: < 480min): Protective gloves, Thickness of the glove material 0,7 mm. Breakthrough times and swelling properties of the material must be taken into consideration.

Eye protection: Tightly fitting safety goggles.

Skin protection: Not applicable.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Red

Odour: scented

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible

Viscosity: Non-viscous

Boiling point/range°C: No data available. Melting point/range°C: Not applicable.

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: No data available.

Autoflammability°C: Not applicable. Vapour pressure: No data available.

Relative density: 1,06 g/ml [cont...]

RAPIDO

Page: 5

pH: 2 (1%ig)

VOC g/I: <3%

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: No hazardous decomposition products if stored and handled as prescribed.

10.5. Incompatible materials

Materials to avoid: Bases.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes. After contact with alkali (lye) development of heat.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

HYDROCHLORIC ACID (30%)

ORAL	RBT	LD50	900	mg/kg
VAPOURS	RAT	1H LC50	4.2-4.7	mg/l

FATTY ALCOHOL ETHOXYLATE

ORL	RAT	LD50	>300 - <2000	mg/kg
-----	-----	------	--------------	-------

BIS(2-HYDROXYETHYL) OLEYLAMINE

ORL RAT LD50 1000-2000 mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

RAPIDO

Page: 6

Ingestion: Corrosive burns may appear around the lips. There may be bleeding from the mouth or

nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

HYDROCHLORIC ACID (30%)

Daphnia magna	48H EC50	0.45	mg/l
Lepomis macrochirus	96H LC50	20.5	mg/l

FATTY ALCOHOL ETHOXYLATE

FIGURE	1.050	>1 /-10	
FISCH	LC50	→ 1-<-10	mg/l
110011	2000	7 1-1-10	1119/1

12.2. Persistence and degradability

Persistence and degradability: The surfactant(s) contained in this preparation complies with the biodegradability criteria

as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: no data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: The product has not been tested. Data apply to the components with the highest

toxicological risk.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Dispose of waste according to applicable local, state and federal regulations.

Waste code number: 06 01 02

Disposal of packaging: May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

RAPIDO

Page: 7

14.1. UN number

UN number: UN1789

14.2. UN proper shipping name

Shipping name: HYDROCHLORIC ACID, LQ: 11

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Ingredients according to Regulation (EC) No 648/2004:

<5% non-ionic surfactants, contains perfumes.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

* indicates text in the SDS which has changed since the last revision. Data references: Safety data sheets from our raw material suppliers

Department issuing MSDS: Product Development Department;

Contact: Mrs. Klumpe, Mr. Reimer

Classification for mixtures and used evaluation method according to Article 9

of regulation (EC) 1272/2008 [CLP]:

Calculation method

Phrases used in s.2 and s.3: H290: May be corrosive to metals.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

RAPIDO

Page: 8

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for

any damage resulting from handling or from contact with the above product.