

# SAFETY DATA SHEET



## GOJO® SUPRO MAX™ Hand Cleaner

According to Regulation (EC) No 1907/2006 amended by Regulation (EU) 2020/878

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2015
2.1	11/15/2023	66483-00006	Date of first issue: 02/26/2015

---

### SECTION 1. IDENTIFICATION

Product name : GOJO® SUPRO MAX™ Hand Cleaner

#### Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500  
Akron OH 44311

Telephone : 1 (330) 255-6000

Emergency telephone : 1-800-424-9300 CHEMTREC

#### Recommended use of the chemical and restrictions on use

Recommended use : Skin-care

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

Precautionary Statements : **Prevention:**  
P280 Wear eye protection/ face protection.

**GOJO® SUPRO MAX™ Hand Cleaner**

Version 2.1      Revision Date: 11/15/2023      SDS Number: 66483-00006      Date of last issue: 05/29/2015  
 Date of first issue: 02/26/2015

**Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	>= 5 - < 10
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Titanium dioxide	13463-67-7	>= 1 - < 5

**SECTION 4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.  
 Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.  
 Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention if symptoms occur.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- Notes to physician : Treat symptomatically and supportively.


**GOJO® SUPRO MAX™ Hand Cleaner**

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2015
2.1	11/15/2023	66483-00006	Date of first issue: 02/26/2015

---

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Sulfur oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

**GOJO® SUPRO MAX™ Hand Cleaner**

Version            Revision Date:            SDS Number:            Date of last issue: 05/29/2015  
2.1                    11/15/2023                66483-00006            Date of first issue: 02/26/2015

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- Technical measures            : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation        : Use only with adequate ventilation.
- Advice on safe handling        : Avoid inhalation of vapor or mist.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice.  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage    : Keep in properly labeled containers.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid             : Do not store with the following product types:  
Strong oxidizing agents

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Ingredients with workplace control parameters**

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

**Hazardous components without workplace control parameters**

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2
Cocoamidopropyl betaine	61789-40-0

- Engineering measures**        : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.


**GOJO® SUPRO MAX™ Hand Cleaner**

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2015
2.1	11/15/2023	66483-00006	Date of first issue: 02/26/2015

---

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m<sup>3</sup> - respirable particles, 10 mg/m<sup>3</sup> - inhalable particles.

**Personal protective equipment**

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection  
Material : Chemical-resistant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

**GOJO® SUPRO MAX™ Hand Cleaner**

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2015
2.1	11/15/2023	66483-00006	Date of first issue: 02/26/2015

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Color	:	tan, opaque
Odor	:	pleasant
Odor Threshold	:	No data available
pH	:	4.5 - 8.0
Melting point/freezing point	:	No data available
Solidification / Setting point	:	13.7 °C
Initial boiling point and boiling range	:	97 °C
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.00 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity		
Viscosity, kinematic	:	12000 - 40000 mm <sup>2</sup> /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**SECTION 10. STABILITY AND REACTIVITY**


**GOJO® SUPRO MAX™ Hand Cleaner**

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2015
2.1	11/15/2023	66483-00006	Date of first issue: 02/26/2015

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**
**Information on likely routes of exposure**

Inhalation  
 Skin contact  
 Ingestion  
 Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
 Method: Calculation method

**Ingredients:**
**Distillates (petroleum), hydrotreated light:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit): > 3,160 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**Alcohols, C10-16, ethoxylated, sulfates, sodium salts:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
---------------------	---	--

**Cocoamidopropyl betaine:**

Acute oral toxicity	:	LD50 (Rat): 2,335 mg/kg Method: OECD Test Guideline 401
---------------------	---	--

**GOJO® SUPRO MAX™ Hand Cleaner**

Version 2.1      Revision Date: 11/15/2023      SDS Number: 66483-00006      Date of last issue: 05/29/2015  
Date of first issue: 02/26/2015

---

Remarks: Based on data from similar materials

**Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Result: No skin irritation

**Ingredients:****Distillates (petroleum), hydrotreated light:**

Assessment: Repeated exposure may cause skin dryness or cracking.

**Alcohols, C10-16, ethoxylated, sulfates, sodium salts:**

Result: Skin irritation

**Cocoamidopropyl betaine:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

**Titanium dioxide:**

Species: Rabbit  
Result: No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Ingredients:****Distillates (petroleum), hydrotreated light:**

Species: Rabbit  
Result: No eye irritation

**Alcohols, C10-16, ethoxylated, sulfates, sodium salts:**

Result: Irreversible effects on the eye

**Cocoamidopropyl betaine:**

Species: Rabbit  
Result: Irreversible effects on the eye




**GOJO® SUPRO MAX™ Hand Cleaner**

Version      Revision Date:      SDS Number:      Date of last issue: 05/29/2015  
 2.1            11/15/2023            66483-00006      Date of first issue: 02/26/2015

Method: OECD Test Guideline 405

**Titanium dioxide:**

Species: Rabbit  
 Result: No eye irritation

**Respiratory or skin sensitization**
**Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Product:**

Assessment: Does not cause skin sensitization.

**Ingredients:**
**Distillates (petroleum), hydrotreated light:**

Test Type: Maximization Test  
 Routes of exposure: Skin contact  
 Species: Guinea pig  
 Result: negative  
 Remarks: Based on data from similar materials

**Cocoamidopropyl betaine:**

Test Type: Maximization Test  
 Routes of exposure: Skin contact  
 Species: Guinea pig  
 Method: OECD Test Guideline 406  
 Result: negative  
 Remarks: Based on data from similar materials

**Titanium dioxide:**

Test Type: Local lymph node assay (LLNA)  
 Routes of exposure: Skin contact  
 Species: Mouse  
 Result: negative

**Germ cell mutagenicity**

Not classified based on available information.

**Ingredients:**
**Distillates (petroleum), hydrotreated light:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Chromosomal aberration Species: Rat Application Route: Intraperitoneal injection


**GOJO® SUPRO MAX™ Hand Cleaner**

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2015
2.1	11/15/2023	66483-00006	Date of first issue: 02/26/2015

Result: negative  
Remarks: Based on data from similar materials

**Cocoamidopropyl betaine:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: Directive 67/548/EEC, Annex V, B.13/14. Result: negative Remarks: Based on data from similar materials
	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials

**Titanium dioxide:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse Result: negative

**Carcinogenicity**

Not classified based on available information.

**Ingredients:**
**Titanium dioxide:**

Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 24 Months  
Method: OECD Test Guideline 453  
Result: positive  
Remarks: The mechanism or mode of action may not be relevant in humans.  
The substance is inextricably bound in the product and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in inhalation studies with animals.
------------------------------	---	---

**IARC**

Group 2B: Possibly carcinogenic to humans

Titanium dioxide 13463-67-7

**OSHA**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**GOJO® SUPRO MAX™ Hand Cleaner**

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2015
2.1	11/15/2023	66483-00006	Date of first issue: 02/26/2015

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Ingredients:**
**Distillates (petroleum), hydrotreated light:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Cocoamidopropyl betaine:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Repeated dose toxicity**
**Ingredients:**
**Distillates (petroleum), hydrotreated light:**

Species: Rat  
NOAEL: > 10.4 mg/l  
Application Route: inhalation (vapor)  
Exposure time: 90 Days  
Remarks: Based on data from similar materials

**Cocoamidopropyl betaine:**

Species: Rat  
NOAEL: 300 mg/kg  
Application Route: Ingestion  
Exposure time: 90 Days  
Method: OECD Test Guideline 408


**GOJO® SUPRO MAX™ Hand Cleaner**

Version      Revision Date:      SDS Number:      Date of last issue: 05/29/2015  
 2.1          11/15/2023          66483-00006      Date of first issue: 02/26/2015

**Titanium dioxide:**

Species: Rat  
 NOAEL: 24,000 mg/kg  
 Application Route: Ingestion  
 Exposure time: 28 Days

Species: Rat  
 NOAEL: 10 mg/m<sup>3</sup>  
 Application Route: inhalation (dust/mist/fume)  
 Exposure time: 2 y  
 Remarks: The substance is inextricably bound in the product and therefore does not contribute to a dust inhalation hazard.

**Aspiration toxicity**

Not classified based on available information.

**Product:**

No aspiration toxicity classification

**Ingredients:**
**Distillates (petroleum), hydrotreated light:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**SECTION 12. ECOLOGICAL INFORMATION**
**Ecotoxicity**
**Ingredients:**
**Distillates (petroleum), hydrotreated light:**

Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction
Toxicity to algae	:	EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction  NOELR (Skeletonema costatum (marine diatom)): 993 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR (Ceriodaphnia dubia (water flea)): > 70 mg/l Exposure time: 8 d Test substance: Water Accommodated Fraction

**GOJO® SUPRO MAX™ Hand Cleaner**

Version 2.1      Revision Date: 11/15/2023      SDS Number: 66483-00006      Date of last issue: 05/29/2015  
 Date of first issue: 02/26/2015

Toxicity to bacteria : EC50: > 100 mg/l  
 Exposure time: 3 h

**Alcohols, C10-16, ethoxylated, sulfates, sodium salts:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
 Exposure time: 48 h

**Cocoamidopropyl betaine:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.1 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.5 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): 14.7 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
  
 EC10 (Desmodesmus subspicatus (Scenedesmus subspicatus)): 2.1 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.135 mg/l  
 Exposure time: 37 d  
 Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.932 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211

Toxicity to bacteria : EC0 (Pseudomonas putida): 3,000 mg/l  
 Exposure time: 16 h  
 Remarks: Based on data from similar materials

**Titanium dioxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h

Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
 Exposure time: 72 h

Toxicity to bacteria : EC50: > 1,000 mg/l  
 Exposure time: 3 h

**GOJO® SUPRO MAX™ Hand Cleaner**

Version 2.1      Revision Date: 11/15/2023      SDS Number: 66483-00006      Date of last issue: 05/29/2015  
Date of first issue: 02/26/2015

---

Method: OECD Test Guideline 209

**Persistence and degradability****Ingredients:****Distillates (petroleum), hydrotreated light:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 82 %  
Exposure time: 24 d  
Method: OECD Test Guideline 301F

**Alcohols, C10-16, ethoxylated, sulfates, sodium salts:**

Biodegradability : Result: Readily biodegradable.

**Cocoamidopropyl betaine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91.6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulation****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good


**GOJO® SUPRO MAX™ Hand Cleaner**

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2015
2.1	11/15/2023	66483-00006	Date of first issue: 02/26/2015

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation**
**49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION**
**EPCRA - Emergency Planning and Community Right-to-Know**
**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations**
**Pennsylvania Right To Know**

Water	7732-18-5
Distillates (petroleum), hydrotreated light	64742-47-8
Walnut seed extract	84012-43-1
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2
Castor oil, sulfated	8002-33-3
Titanium dioxide	13463-67-7
2-Phenoxyethanol	122-99-6

**California Prop. 65** This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**California List of Hazardous Substances**


Distillates (petroleum), hydrotreated light	64742-47-8
---	------------

**California Permissible Exposure Limits for Chemical Contaminants**

Distillates (petroleum), hydrotreated light	64742-47-8
Titanium dioxide	13463-67-7

**GOJO® SUPRO MAX™ Hand Cleaner**

Version 2.1      Revision Date: 11/15/2023      SDS Number: 66483-00006      Date of last issue: 05/29/2015  
 Date of first issue: 02/26/2015

**SECTION 16. OTHER INFORMATION**
**Further information**
**NFPA:**

**HMIS III:**

HEALTH	<b>3</b>
FLAMMABILITY	<b>1</b>
PHYSICAL HAZARD	<b>0</b>

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
 ACGIH / TWA : 8-hour, time-weighted average  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
 NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday  
 OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development;



**GOJO® SUPRO MAX™ Hand Cleaner**

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2015
2.1	11/15/2023	66483-00006	Date of first issue: 02/26/2015

---

OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/15/2023

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8